

**Jackson Systems**  
**Thermostat Matrix**  
**Single-Stage Non-Programmable**

Type	Manufacturer	Model	Stages	Power	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
Single-Stage Heat / Cool Non-Programmable	Honeywell	T827K1009	1 H / 0 C	Mechanical	Manual	No	0 In / 0 Out	No	5	Heat Only, Millivolt and DC, Vertical
	Honeywell	T87K1007	1 H / 0 C	Power Stealing	N/A	No	0 In / 0 Out	No	5	Heat Only, Mercury Free, Round
	LuxPro	PSD010B	1 H / 0 C	Battery	NA	No	0 In / 0 Out	No	3	Heat only
	LuxPro	PSM010	1 H / 0 C	Mechanical	NA	No	0 In / 0 Out	No	3	Heat only; round
	Robertshaw	9505	1 H / 0 C	Battery	NA	No	0 In / 0 Out	No	1	Heat only
	White-Rodgers	1E78-140	1 H / 0 C	Battery	N/A	No	0 In / 0 Out	No	1	Heat Only, Vertical
	Aprilaire	8444	1 H / 1 C	Hardwired OR Battery	Auto	No	0 In / 0 Out	Yes	5	Water panel monitor, footprint covers most stats
	Braeburn	1000NC	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	2	New Construction Thermostat
	Braeburn	1020NC	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	5	Economy, non-hinged cover
	Braeburn	1020	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	5	Economy, hinged cover
	Braeburn	3000	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	Yes	5	
	Braeburn	3020	1 H / 1 C	Hardwired OR Battery	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5020	1 H / 1 C	Hardwired OR Battery	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5310	1 H / 1 C	Hardwired OR Battery	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	6100	1 H / 1 C	Hardwired OR Battery	Auto	No	1 In / 1 Out	Yes	5	12" Easy Read display
	Honeywell	T8034N1007	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	5	Positive Off, Horizontal
	Honeywell	T834N1002	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	5	Positive Off, Vertical
	Honeywell	TH1110D1000	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	2	Vertical
	Honeywell	T822K1042	1 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	2	
	Honeywell	TH3110D1008	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH5110D1006	1 H / 1 C	Hardwired OR Battery	Auto	No	0 In / 0 Out	No	5	Standard Display, Easy battery replacement
	Honeywell	T87N1000	1 H / 1 C	Power Stealing	Manual	No	0 In / 0 Out	No	5	Round, Mercury Free
	Honeywell	T8775A1009	1 H / 1 C	Power Stealing	Manual	No	0 In / 0 Out	No	5	
	Honeywell	T8775C1005	1 H / 1 C	Power Stealing	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH5110D1022	1 H / 1 C	Hardwired OR Battery	Auto	No	0 In / 0 Out	No	5	Large Display, Easy battery replacement
	Honeywell	T87N1026	1 H / 1 C	Power Stealing	Manual	No	0 In / 0 Out	No	5	Easy-to-See, Mercury Free, Round
	Honeywell	TH8110R1008	1 H / 1 C	Hardwired OR Battery OR Equip	Auto	No	Up to 6 In / Out	Yes	5	New VisionPRO with RedLINK, Must have EIM in order to use sensors
	LuxPro	PSM011	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	3	Round
	LuxPro	PSD111	1 H / 1 C	Hardwired OR Battery	Manual	No	0 In / 0 Out	No	3	Vertical OR horizontal, Backlight
	Robertshaw	9200H	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	1	Magnetic Reed, 1.6A rating
	Robertshaw	9200V	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	1	Magnetic Reed, 1.6A rating
	Robertshaw	RS2110	1 H / 1 C	Battery	Manual	No	0 In / 0 Out	No	2	
	Robertshaw	RS4110	1 H / 1 C	Hardwired	Auto	No	0 In / 0 Out	No	5	
	Robertshaw	300-206	1 H / 1 C	Power Stealing	Manual	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	Robertshaw	300-201	1 H / 1 C	Hardwired	Auto	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	White-Rodgers	1F78H-144	1 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1E78-144	1 H / 1 C	Battery	Manual	No	0 In / 0 Out	No	5	Vertical
	White-Rodgers	1F78-144	1 H / 1 C	Battery	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F56N-444	1 H / 1 C	Mechanical	Manual	No	0 In / 0 Out	No	5	Horizontal
	White-Rodgers	1F86-0471	1 H / 1 C	Hardwired OR Battery	Auto	No	0 In / 0 Out	Yes	5	Large Display, Easy battery replacement
	White-Rodgers	1F83-0471	1 H / 1 C	Hardwired OR Battery	Auto	No	0 In / 0 Out	Yes	5	Large Display, Easy battery replacement
	LuxPro	PSD011B	1 H / 1 C	Battery	NA	No	0 In / 0 Out	No	3	Vertical
	Pro1 IAQ	T771	1 H or 1 C	Hardwired OR Battery	No	No	0 In / 0 Out	No	5	

**Jackson Systems**  
**Thermostat Matrix**  
**Single-Stage Heat/Cool Programmable**

Type	Manufacturer	Model	Stages	Power	Program	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
Single-Stage Heat / Cool Programmable	Aprilaire	8463	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Water panel monitor, footprint covers most stats
	LuxPro	PSPLV512	1 H / 0 C	Battery	5 + 2	NA	No	0 In / 0 Out	No	3	<b>Heat</b> only; 125V and 240V
	Braeburn	2000	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	Yes	5	
	Braeburn	2020	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	Meets CA Title 24 Guidelines
	Braeburn	5000	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Auto	No	0 In / 0 Out	Yes	5	
	Braeburn	5020	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5310	1 H / 1 C	Hardwired <b>OR</b> Battery	7 or 5 + 2	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	6100	1 H / 1 C	Hardwired <b>OR</b> Battery	7 or 5 + 2	Auto	No	1 In / 1 Out	Yes	5	12" Easy Read display
	Honeywell	TH2110D1009	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	No	2	Vertical
	Honeywell	TH4110D1007	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH6110D1005	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Standard Display, Easy Battery replacement
	Honeywell	TH6110D1021	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	<b>Large Display</b> , Easy battery replacement
	Honeywell	TH8110U1003	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Touch screen, Hum. pad & UV reminder, Limits, Lockout
	Honeywell	TH8110R1008	1 H / 1 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip.	7	Auto	No	Up to 6 In / Out	Yes	5	<b>New VisionPRO with RedLINK, Must have EIM in order to use sensors</b>
	LuxPro	PSP511-L	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	No	3	
	LuxPro	PSP611	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Manual	No	0 In / 0 Out	No	3	Displays humidity
	LuxPro	PSP300	1 H / 1 C	Hardwired	5 + 2	Auto	No	0 In / 0 Out	No	1	<b>Line voltage</b> only (120V); <b>Outlet thermostat</b>
	LuxPro	PSPA711	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	Yes	3	Replaces PSP711CC
	LuxPro	PSP711TS	1 H / 1 C	Battery	7	Manual	No	0 In / 0 Out	Yes	3	Touch screen, Filter monitor, Lockout
	Pro1 IAQ	T705	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	
	Pro1 IAQ	T805	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	
	Pro1 IAQ	T905	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	<b>Touchscreen</b>
	Robertshaw	RS3110	1 H / 1 C	Battery	5 + 2	Manual	No	0 In / 0 Out	No	2	
	Robertshaw	RS5110	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 2	Auto	No	0 In / 0 Out	No	5	
	Robertshaw	RS6110	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	
	Robertshaw	9701i2	1 H / 1 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Set-up Wizard, Prog. Fan, Adj. temp. limits
	Robertshaw	300-224	1 H / 1 C	Power Stealing	5 + 2	Auto	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	Robertshaw	9801i2	1 H / 1 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Prog. Fan, Set-up Wizard, <b>Hum. Control</b>
	Robertshaw	300-225	1 H / 1 C	Hardwired	7	Auto	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	White-Rodgers	1E78-151	1 H / 1 C	Battery	5 + 2	Manual	No	0 In / 0 Out	No	1	Vertical
	White-Rodgers	1F78-151	1 H / 1 C	Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F80-0224	1 H / 1 C	Hardwired <b>OR</b> Battery	24 Hour	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F80-0261	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F80-0471	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Large Disp., Easy battery replacement, Includes wallplate
	White-Rodgers	F87-0261	1 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Easy-to-read LCD
	White-Rodgers	1F87-361	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Manual	No	0 In / 0 Out	Yes	5	Replaces 1F87-251, larger screen, new terminals
	White-Rodgers	1F97-0671	1 H / 1 C	Tri-Power	7	Auto	No	1 In / 1 Out	No	5	Programmable Fan, Keypad Lockout
	White-Rodgers	1F97-1277	1 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 1 Out	Yes	5	Same as 1F97-1271 but with sensors and prog. fan

**Jackson Systems**  
**Thermostat Matrix**  
**Multi-Stage Heat/Cool Non-Programmable**

Type	Manufacturer	Model	Stages	Power	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
Multi-Stage Heat / Cool Non-Programmable	Honeywell	TH1210D1008	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	2	Vertical
	Jackson Systems	T-21-P	2 H / 1 C	Hardwired <b>OR</b> Battery	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	LuxPro	P521U	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	5	
	Robertshaw	RS2210	2 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	2	
	Braeburn	3220	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 0 Out	Yes	5	
	Honeywell	TH5220D1003	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Standard Display, Multi-Stage <b>OR</b> HP
	Honeywell	TH5220D1029	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Large display, Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH5320U1001	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Large display, Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH8320R1003	2 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	Auto	No	Up to 6 In / Out	Yes	5	New VisionPRO with RedLINK, Must have EIM in order to use sensors
	Honeywell	TH8321R1001	2 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	Auto	No	Up to 6 In / Out	Yes	5	New VisionPRO with RedLINK, Must have EIM in order to use sensors
	LuxPro	PSD022B	2 H / 2 C	Battery	Manual	No	0 In / 0 Out	No	5	
	LuxPro	PSD122E	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	Not Yet	Yes	3	Setpoint limits, Keypad lockout, Multi-Stage <b>OR</b> Heat Pump
	Robertshaw	RS4220	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Multi-Stage <b>OR</b> Heat Pump
	Robertshaw	300-203	2 H / 2 C	Hardwired	Auto	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	White-Rodgers	1F73-174	2 H / 2 C	Hardwired	Auto	No	0 In / 0 Out	No	5	Multi-Stage <b>OR</b> Heat Pump
	White-Rodgers	1F83-0422	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	White-Rodgers	1F83-0471	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	Yes	5	Large Display, Multi-Stage <b>OR</b> Heat Pump
	Braeburn	1220	2 H / 2 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	5	
	Aprilaire	8448	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 1 Out	Yes	5	Built in Dual Fuel with 8052 Outdoor Sensor
	Aprilaire	8600	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 0 Out	Yes	5	
	Aprilaire	8800	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	2 In / 2 Out	Yes	5	Communicating
	Braeburn	3300	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 1 Out	No	5	
	Braeburn	5220	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5320	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 1 Out	Yes	5	Economizer control
	Braeburn	6300	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	Humidity	1 In / 0 Out	Yes	5	Humidity Control
	Braeburn	6400	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	Both	1 In / 1 Out	Yes	5	Humidification and Dehumidification control
	Honeywell	TH6320WF1005	3 H / 2 C	Hardwired	Auto	No	0 In / 0 Out	Yes	5	WiFi; Large Display, Dual Fuel
	Honeywell	TH5320R1002	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	Wireless
	Honeywell	YTH5320R1025	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	Wireless Kit, Wireless Adapter
	Honeywell	TH8320WF1029	3 H / 2 C	Hardwired	Auto	No	1 In / 0 Out	Yes	5	WiFi
	Honeywell	TH8321U1097	3 H / 2 C	Hardwired	Auto	No	1 In / 1 Out	Yes	5	
	Honeywell	YTH5320R1000	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	Wireless Kit, Stat, EIM, Return Air Sensor
	Honeywell	YTHX9421R5085BB	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, black front/black sides
	Honeywell	YTHX9421R5085SG	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, silver front/gray sides
	Honeywell	YTHX9421R5085WG	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, white front/gray sides
	Honeywell	YTHX9421R5085WW	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, white front/white sides
	Honeywell	YTH5320R1017	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	Wireless Kit, EIM, PCC, Return & Outdoor
	Honeywell	YTHX9421R5101BB	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, black front/black sides
	Honeywell	YTHX9421R5101SG	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, silver front/gray sides
	Honeywell	YTHX9421R5101WG	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/gray sides
	Honeywell	YTHX9421R5101WW	3 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/white sides
	Jackson Systems	T-32-P	3 H / 2 C	Hardwired	Auto	No	Any # In/1 Out	Yes	5	Integrated modbus communications
	Jackson Systems	T-32-TS	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	Jackson Systems	WCT-32	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	Wireless
	White-Rodgers	1F98EZ-1621	3 H / 2 C	Hardwired	Auto	Both	Option up to 4	Yes	5	Wireless Comfort Interface, Equipment Control Module and Return Air Sensor

**Jackson Systems  
Thermostat Matrix  
Multi-Stage Heat/Cool Programmable**

Type	Manufacturer	Model	Stages	Power	Program	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
<b>Multi-Stage Heat / Cool Programmable</b>	Aprilaire	B465	2 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Water Panel Monitor
	Jackson Systems	T-21-P	2 H / 1 C	Hardwired <b>OR</b> Battery	7	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	LuxPro	P521U	2 H / 1 C	Hardwired <b>OR</b> Battery	7	Manual	No	0 In / 0 Out	No	5	
	LuxPro	PSP721U	2 H / 1 C	Hardwired <b>OR</b> Battery	7	Manual	No	0 In / 0 Out	Yes	3	
	LuxPro	PSPU721T	2 H / 1 C	Hardwired	7	Auto	No	0 In / 0 Out	Yes	5	
	Robertshaw	RS3210	2 H / 1 C	Hardwired	5 + 2	Manual	No	0 In / 0 Out	No	2	
	White-Rodgers	1F82-0261	2 H / 1 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Manual	No	0 In / 0 Out	No	5	
	Aprilaire	8570	2 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	2	F/U/P Mon., RH Disp., Key Lock, OCC/UNOCC contacts
	Braeburn	2220	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH6220D1002	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Standard display, Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH6220D1028	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	<b>Large display</b> , Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH6320U1000	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	<b>Large display</b> , Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH8320R1003	2 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	7	Auto	With EIM	Up to 6 In / Out	Yes	5	<b>New VisionPRO with RedLINK, Must have EIM in order to use sensors</b>
	Honeywell	TH8320U1008	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Touch screen, Hum. pad & UV reminder, Limits, Lockout
	Honeywell	TH7220U1012	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	x2 In or 1 Out	Yes	5	<b>Commercial</b> , Econ. output, Mult. lockouts, Holiday Ovr.
	Honeywell	TH8321R1001	2 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	7	Auto	No	Up to 6 In / Out	Yes	5	<b>New VisionPRO with RedLINK, Must have EIM in order to use sensors</b>
	Honeywell	TH8321U1006	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Touch screen, Dehum. Control
	Honeywell	TH8220U1003	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	x2 In or 1 Out	Yes	5	<b>Commercial, Touchscreen</b>
	LuxPro	PSPA711	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	Yes	3	Clean Cycle, Graphic Filter Monitor
	LuxPro	PSPA722	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	Yes	3	
	LuxPro	PSP722E	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	Yes	3	Keypad Lockout, Prog. fan, Adj. temp. limits
	Pro1 IAQ	T855	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	
	Robertshaw	RS5220	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 2	Auto	No	0 In / 0 Out	No	5	Multi-Stage <b>OR</b> Heat Pump
	Robertshaw	RS6220	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	Multi-Stage <b>OR</b> Heat Pump
	Robertshaw	300-229	2 H / 2 C	Hardwired	7	Auto	No	6 In / 1 Out	No	2	OCC/UNOCC contacts, Smart fan, Keypad Lockout
	White-Rodgers	1F85-0471	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Large Disp., Easy battery replacement, Includes wallplate
	White-Rodgers	1F85-0422	2 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	White-Rodgers	1F85-0477	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	White-Rodgers	1F85-277	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	Yes	5	Keypad Lockout, Adj. temp. limits, Multi-Stage <b>OR</b> Heat Pump
	White-Rodgers	1F95-1277	2 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In or 1 Out	Yes	5	Same as 1F95-1271, but remote sensors, Prog. Fan
	Aprilaire	B466	3 H / 2 C	Hardwired <b>OR</b> Battery	5 + 1 + 1	Auto	No	0 In / 1 Out	Yes	5	Built In Dual Fuel with 8052 Outdoor Sensor
	Braeburn	5220	3 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5300	3 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In or 1 Out	No	5	Indoor OR Outdoor Sensors, Economizer Contacts
	Braeburn	5400	3 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 1 Out	Yes	5	Humidification Control
	Honeywell	TH6320WF1005	3 H / 2 C	Hardwired	7	Auto	No	0 In / 0 Out	Yes	5	Large Display, Dual Fuel
	Honeywell	TH6320R1004	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	<b>Wireless</b>
	Honeywell	TH8320WF1029	3 H / 2 C	Hardwired	7	Auto	No	1 In / 0 Out	Yes	5	<b>WiFi</b>
	Honeywell	YTH6320R1023	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	<b>Wireless Stat &amp; Zoning Adapter</b>
	Honeywell	YTH6320R1001	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	<b>Wireless Stat, EIM &amp; Return Air Sensor</b>
	Jackson Systems	T-32-P	3 H / 2 C	Hardwired	7	Auto	No	Any # In/1 Out	Yes	5	Integrated modbus communications
	Jackson Systems	T-32-TS	3 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	Jackson Systems	WCT-32	3 H / 2 C	Battery	7	Auto	No	0 In / 0 Out	No	5	<b>Wireless</b>
	LuxPro	PSPU732T	3 H / 2 C	Hardwired	7	Auto	Both	0 In / 0 Out	Yes	5	
	Pro1 IAQ	T955WH	3 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 + 1 + 1	Auto	Humidity	4 In / 1 Out	Yes	5	<b>Wireless</b>
	Robertshaw	972512	3 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Set-up Wizard, Prog. Fan, Adj. temp. limits
	Robertshaw	982512	3 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Prog. Fan, Set-up Wizard, <b>Hum. Control</b>
	Honeywell	YTH9421C1002	4 H / 2 C	Hardwired	7	Auto	Both	x2 In / 1 Out	Yes	5	Controls HVAC equip., hum., dehum., vent., UV light
	Honeywell	YTH9421C1010	4 H / 2 C	Hardwired	7	Auto	Both	x2 In / 1 Out	Yes	5	IAQ Stat, EIM, Outdoor Sensor
	White-Rodgers	1F95-1291	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	Both	1 In / 1 Out	Yes	5	Dehumidification and Humidification Control
	White-Rodgers	1F95-0680	4 H / 2 C	Tri-Powered	7	Auto	No	1 In / 1 Out	Yes	5	OCC/UNOCC contacts, Locking Front Cover
	Aprilaire	8600	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 0 Out	Yes	5	
	Aprilaire	8800	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	2 In / 2 Out	Yes	5	Communicating
	Braeburn	5320	4 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 + 2	Auto	No	1 In / 1 Out	Yes	5	Economizer control
	Braeburn	6300	4 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 + 2	Auto	Humidity	1 In / 0 Out	Yes	5	Humidity Control
	Braeburn	6400	4 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 + 2	Auto	Both	1 In / 1 Out	Yes	5	Humidification and Dehumidification control
	ecobee EMS	EB-EMS-02	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	<b>WiFi; Energy Management System</b>
	ecobee EMS Si	EB-EMSSI-01	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	<b>WiFi; Energy Management System; NON-TOUCHSCREEN</b>
	ecobee Smart	EB-STAT-02	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	<b>WiFi</b>
	ecobee Smart Si	EB-SMART-Si-01	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	<b>WiFi; NON-TOUCHSCREEN</b>
	Honeywell	TH9421C1004	4 H / 2 C	Hardwired	7	Auto	No	x2 In or 1 Out	Yes	5	Thermostat Only - No interface module; Use YTH9421 for kit
	Honeywell	TH8321U1097	4 H / 2 C	Hardwired	7	Auto	No	x2 In or 1 Out	Yes	5	
	Honeywell	YTHX9421R5085BB	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, black front/black sides</b>
	Honeywell	YTHX9421R5085SG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, silver front/gray sides</b>
	Honeywell	YTHX9421R5085WG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, white front/gray sides</b>
	Honeywell	YTHX9421R5085VWV	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, white front/white sides</b>
	Honeywell	YTHX9421R5101BB	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, black front/black sides</b>
	Honeywell	YTHX9421R5101SG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, silver front/gray sides</b>
	Honeywell	YTHX9421R5101WG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/gray sides</b>
	Honeywell	YTHX9421R5101VWV	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/white sides</b>
	White-Rodgers	1F95-0680	4 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 + 1 + 1	Auto	No	1 In / 1 Out	Yes	5	<b>Commercial</b>
	White-Rodgers	1F95-1280	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 1 Out	Yes	5	Commercial Touchscreen
	White-Rodgers	1F98EZ-1621	4 H / 2 C	Hardwired	7	Auto	Both	Option up to 4	Yes	5	<b>Wireless</b> Comfort Interface, Equipment Control Module and Return Air Sensor

**Jackson Systems  
Thermostat Matrix  
Heat Pump Non-Programmable**

Type	Manufacturer	Model	Stages	Power	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
Heat Pump Non-Programmable	Robertshaw	300-207	1 H / 1 C	Hardwired	Auto	No	6 In / 1 Out	No	2	Lockable cover, Keypad lockout
	Aprilaire	8446	2 H / 1 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	Yes	5	Water panel monitor, footprint covers most stats
	Braeburn	1200NC	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	2	New Construction Thermostat
	Braeburn	1200	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH1210D1008	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	2	Vertical
	Honeywell	TH3210D1004	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	5	Horizontal, Backlight, Easy-to-use slide switches
	Honeywell	TH5220D1003	2 H / 1 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Standard display, Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH5220D1029	2 H / 1 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	<b>Large display</b> , Setpoint limits, Multi-Stage <b>OR</b> HP
	Jackson Systems	T-21-P	2 H / 1 C	Hardwired <b>OR</b> Battery	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	LuxPro	PSDH021W	2 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	3	<b>Heat pump</b> only
	LuxPro	PSDH121	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	3	Vertical <b>OR</b> horizontal, Backlight
	Robertshaw	300-208	2 H / 1 C	Hardwired	Auto	No	6 In / 1 Out	No	2	Fossil fuel kit, Lockable cover, Keypad lockout
	Robertshaw	RS2210	2 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	2	
	White-Rodgers	1F73-174	2 H / 1 C	Hardwired	Auto	No	0 In / 0 Out	No	5	Heat Pump <b>OR</b> Multi-Stage
	White-Rodgers	1F79-111	2 H / 1 C	Hardwired	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F89-0211	2 H / 1 C	Hardwired <b>OR</b> Battery	Manual	No	0 In / 0 Out	No	5	
	Braeburn	3220	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 0 Out	Yes	5	
	LuxPro	PSD122E	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	Not Yet	Yes	3	Setpoint Limits, Keypad lockout, Multi-Stage <b>OR</b> Heat Pump
	LuxPro	PSD022B	2 H / 2 C	Battery	Manual	No	0 In / 0 Out	No	5	
	Robertshaw	9560	2 H / 2 C	Hardwired	Auto	No	0 In / 0 Out	No	2	Large display
	Robertshaw	RS4220	2 H / 2 C	Hardwired	Auto	No	0 In / 0 Out	No	5	Heat Pump <b>OR</b> Multi-Stage
	White-Rodgers	1F83-0422	2 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	Aprilaire	8448	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 1 Out	Yes	5	Built in Dual Fuel with 8052 Outdoor Sensor
	Braeburn	3300	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 1 Out	No	5	Universal Thermostat
	Honeywell	TH5320R1002	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	<b>Wireless</b>
	Honeywell	TH5320U1001	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	Yes	5	<b>Large display</b> , Setpoint limits, Multi-Stage <b>OR</b> HP
	Honeywell	TH6320WF1005	3 H / 2 C	Hardwired	Auto	No	0 In / 0 Out	Yes	5	Large Display, Dual Fuel
	Honeywell	TH8320R1003	3 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	Auto	With EIM	Up to 6 In / Out	Yes	5	<b>New VisionPRO with RedLINK, Must have EIM in order to use sensors</b>
	Honeywell	TH8320WF1029	3 H / 2 C	Hardwired	Auto	No	1 In / 0 Out	Yes	5	<b>WiFi</b>
	Honeywell	TH8321R1001	3 H / 2 C	Hardwired <b>OR</b> Battery <b>OR</b> Equip	Auto	No	Up to 6 In / Out	Yes	5	<b>New VisionPRO with RedLINK, Must have EIM in order to use sensors</b>
	Jackson Systems	T-32-P	3 H / 2 C	Hardwired	Auto	No	Any # In/1 Out	Yes	5	Integrated modbus communications
	Jackson Systems	T-32-TS	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	Any # In/1 Out	Yes	5	Low cost, touchscreen thermostat
	Jackson Systems	WCT-32	3 H / 2 C	Battery	Auto	No	0 In / 0 Out	No	5	<b>Wireless</b>
	Robertshaw	300-202	3 H / 2 C	Hardwired	Auto	No	6 In / 1 Out	No	2	Fossil fuel kit, Lockable cover, Keypad lockout
	White-Rodgers	1F83-0471	3 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	0 In / 0 Out	Yes	5	Large display, Multi-Stage <b>OR</b> Heat Pump
	Aprilaire	8600	4 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 0 Out	Yes	5	
	Aprilaire	8800	4 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	2 In / 2 Out	Yes	5	Communicating
	Braeburn	5320	4 H / 2 C	Hardwired <b>OR</b> Battery	Auto	No	1 In / 1 Out	Yes	5	Economizer control
	Braeburn	6300	4 H / 2 C	Hardwired <b>OR</b> Battery	Auto	Humidity	1 In / 0 Out	Yes	5	Humidity Control
	Braeburn	6400	4 H / 2 C	Hardwired <b>OR</b> Battery	Auto	Both	1 In / 1 Out	Yes	5	Humidification and Dehumidification control
	Honeywell	TH8321U1097	4 H / 2 C	Hardwired	Auto	No	x2 In or 1 Out	Yes	5	
	Honeywell	YTHX9421R5085BB	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, includes EIM, 2 duct sensors, Black front/black sides
	Honeywell	YTHX9421R5085SG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, includes EIM, 2 duct sensors, Silver front/gray sides
	Honeywell	YTHX9421R5085WG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, includes EIM, 2 duct sensors, White front/gray sides
	Honeywell	YTHX9421R5085WW	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, includes EIM, 2 duct sensors, White front/white sides
	White-Rodgers	1F98EZ-1621	4 H / 2 C	Hardwired	Auto	Both	Option up to 4	Yes	5	<b>Wireless</b> Comfort Interface, Equipment Control Module and Return Air Sensor
	Honeywell	YTHX9421R5085BB	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, black front/black sides
	Honeywell	YTHX9421R5085SG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, silver front/gray sides
	Honeywell	YTHX9421R5085WG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, white front/gray sides
	Honeywell	YTHX9421R5085WW	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, white front/white sides
	Honeywell	YTHX9421R5101BB	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, black front/black sides
	Honeywell	YTHX9421R5101SG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, silver front/gray sides
	Honeywell	YTHX9421R5101WG	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/gray sides
	Honeywell	YTHX9421R5101WW	4 H / 2 C	Hardwired	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/white sides

**Jackson Systems  
Thermostat Matrix  
Heat Pump Programmable**

Type	Manufacturer	Model	Stages	Power	Program	Changeover	Hum/Dehum	Remote Sensors	Filter Reminder	Warranty	Special Features
Heat Pump Programmable	LuxPro	PSP611	1 H / 1 C	Hardwired OR Battery	5 + 1 + 1	Manual	No	0 In / 0 Out	No	3	Displays humidity
	Robertshaw	97012	1 H / 1 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Set-up Wizard, Prog. Fan, Adj. temp. limits
	Robertshaw	98012	1 H / 1 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Prog. Fan, Set-up Wizard, Hum. Control
	White-Rodgers	1F86EZ-0251	1 H / 1 C	Hardwired OR Battery	3 settings	Auto	No	0 In / 0 Out	No	5	Home, Away and Sleep Buttons
	Aprilaire	8465	2 H / 1 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Water panel monitor, footprint covers most stats
	Braeburn	2200	2 H / 1 C	Hardwired OR Battery	5 + 2	Manual	No	0 In / 0 Out	Yes	5	
	Honeywell	TH42210D1007	2 H / 1 C	Hardwired OR Battery	5 + 2	Manual	No	0 In / 0 Out	No	2	Vertical
	Honeywell	TH4210D1005	2 H / 1 C	Hardwired OR Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	
	Honeywell	TH6220D1002	2 H / 1 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Standard display, Setpoint limits, Multi-Stage OR HP
	Honeywell	TH6220D1028	2 H / 1 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Large display, Setpoint limits, Multi-Stage OR HP
	Jackson Systems	T-21-P	2 H / 1 C	Hardwired OR Battery	7	Auto	No	Any # In / 1 Out	Yes	5	Low cost, touchscreen thermostat
	LuxPro	P521U	2 H / 1 C	Hardwired OR Battery	7	Manual	No	0 In / 0 Out	No	5	
	LuxPro	PSP721U	2 H / 1 C	Hardwired OR Battery	7	Manual	No	0 In / 0 Out	Yes	3	
	LuxPro	PSPU721T	2 H / 1 C	Hardwired	7	Auto	No	0 In / 0 Out	Yes	5	
	Robertshaw	RS3210	2 H / 1 C	Hardwired	5 + 2	Manual	No	0 In / 0 Out	No	2	
	Robertshaw	300-226	2 H / 1 C	Hardwired	5 + 2	Auto	No	6 In / 1 Out	No	2	Fossil fuel kit, Lockable cover, Keypad lockout
	White-Rodgers	1F72-151	2 H / 1 C	Hardwired	5 + 2	Manual	No	0 In / 0 Out	No	5	
	White-Rodgers	1F89EZ-0251	2 H / 1 C	Hardwired OR Battery	3 settings	Auto	No	0 In / 0 Out	No	5	Home, Away and Sleep Buttons
	White-Rodgers	1F82-0261	2 H / 1 C	Hardwired OR Battery	5 + 1 + 1	Manual	No	0 In / 0 Out	No	5	
	Braeburn	2220	2 H / 2 C	Hardwired OR Battery	5 + 2	Manual	No	0 In / 0 Out	No	5	
	Braeburn	5200	2 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	Yes	5	
	Pro 1 IAQ	T855	2 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	No	5	
	Pro 1 IAQ	T925	2 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	No	5	Touchscreen
	Robertshaw	RS5220	2 H / 2 C	Hardwired	5 + 2	Auto	No	0 In / 0 Out	No	5	Heat Pump OR Multi-Stage
	Robertshaw	RS6220	2 H / 2 C	Hardwired	7	Auto	No	0 In / 0 Out	No	5	Heat Pump OR Multi-Stage
	White-Rodgers	1F85-0422	2 H / 2 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	White-Rodgers	1F85-0477	2 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	No	5	Includes Wallplate
	Aprilaire	8466	3 H / 2 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Built In Dual Fuel with 8052 Outdoor Sensor
	Aprilaire	8570	3 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	2	F/U/P Mon., RH Disp., Key Lock, OCC/UNOCC contacts, FFKit
	Braeburn	5220	3 H / 2 C	Hardwired OR Battery	7 or 5 + 2	Auto	No	1 In / 0 Out	Yes	5	
	Braeburn	5300	3 H / 2 C	Hardwired OR Battery	7	Auto	No	1 In or 1 Out	No	5	Indoor or Outdoor Sensors, Economizer Contacts
	Braeburn	5400	3 H / 2 C	Hardwired OR Battery	7	Auto	No	1 In / 1 Out	Yes	5	Humidification Control
	Honeywell	TH6320U1000	3 H / 2 C	Hardwired OR Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	Yes	5	Large display, Setpoint limits, Multi-Stage OR HP
	Honeywell	TH6320WF1005	3 H / 2 C	Hardwired	7	Auto	No	0 In / 0 Out	Yes	5	Large Display, Dual Fuel
	Honeywell	TH6320R1004	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Wireless
	Honeywell	TH8320R1003	3 H / 2 C	Hardwired OR Battery OR Equip	7	Auto	With EIM	Up to 6 In / Out	Yes	5	New VisionPRO with RedLINK, Must have EIM in order to use sensors
	Honeywell	TH8320U1008	3 H / 2 C	Hardwired OR Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Touch screen, Hum. pad & UV reminder, Limits, Lockout
	Honeywell	TB7220U1012	3 H / 2 C	Hardwired OR Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Commercial, Econ. output, Mult. lockouts, Holiday Ovr.
	Honeywell	TH8320WF1029	3 H / 2 C	Hardwired	7	Auto	No	1 In / 0 Out	Yes	5	WiFi
	Honeywell	YTH6320R1023	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Wireless Stat & Adapter
	Honeywell	TH8321R1001	3 H / 2 C	Hardwired OR Battery OR Equip	7	Auto	No	Up to 6 In / Out	Yes	5	New VisionPRO with RedLINK, Must have EIM in order to use sensors
	Honeywell	TH8321U1006	3 H / 2 C	Hardwired OR Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Touch screen, Dehum. Control
	Honeywell	TB8220U1003	3 H / 2 C	Hardwired OR Battery	7	Auto	No	x2 In or 1 Out	Yes	5	Commercial, Touch screen
	Honeywell	YTH6320R1001	3 H / 2 C	Battery	5 + 1 + 1	Auto	No	0 In / 0 Out	No	5	Wireless Stat, EIM & Return Air Sensor
	Jackson Systems	T-32-P	3 H / 2 C	Hardwired	7	Auto	No	Any # In / 1 Out	Yes	5	Integrated modbus communications
	Jackson Systems	T-32-TS	3 H / 2 C	Hardwired OR Battery	7	Auto	No	Any # In / 1 Out	Yes	5	Low cost, touchscreen thermostat
	Jackson Systems	WCT-32	3 H / 2 C	Battery	7	Auto	No	0 In / 0 Out	No	5	Wireless
	LuxPro	PSPHA732	3 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	Yes	3	
	LuxPro	PSP722E	3 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	Yes	3	Keypad Lockout, Prog. fan, Adj. temp. limits
	Pro 1 IAQ	T955WH	3 H / 2 C	Hardwired OR Battery	7 or 5 + 1 + 1	Auto	Humidity	4 In / 1 Out	Yes	5	Wireless
	Robertshaw	9725i2	3 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Set-up Wizard, Prog. Fan, Adj. temp. limits
	Robertshaw	9825i2	3 H / 2 C	Hardwired	7	Auto	No	1 In / 1 Out	Yes	5	Menu driven, Prog. Fan, Set-up Wizard, Hum. Control
	Robertshaw	300-227	3 H / 2 C	Hardwired	7	Auto	No	6 In / 1 Out	No	2	Fos. Fuel kit, OCC/UNOCC contacts, Smart fan, Lockable
	White-Rodgers	1F85-277	3 H / 2 C	Hardwired OR Battery	7	Auto	No	0 In / 0 Out	Yes	5	Keypad Lockout, Adj. temp. limits, Multi-Stage OR HP
	White-Rodgers	1F95-1277	3 H / 2 C	Hardwired OR Battery	7	Auto	No	1 In or 1 Out	Yes	5	Same as 1271, Built in ftk, Remote Sensors, Prog. Fan
	Aprilaire	8600	4 H / 2 C	Hardwired OR Battery	7	Auto	No	1 In / 0 Out	Yes	5	
	Aprilaire	8800	4 H / 2 C	Hardwired OR Battery	7	Auto	No	2 In / 2 Out	Yes	5	Communicating
	Braeburn	5320	4 H / 2 C	Hardwired OR Battery	7 or 5 + 2	Auto	No	1 In / 1 Out	Yes	5	Economizer control
	Braeburn	6300	4 H / 2 C	Hardwired OR Battery	7 or 5 + 2	Auto	Humidity	1 In / 0 Out	Yes	5	Humidity Control
	Braeburn	6400	4 H / 2 C	Hardwired OR Battery	7 or 5 + 2	Auto	Both	1 In / 1 Out	Yes	5	Humidification and Dehumidification control
	ecobee EMS	EB-EMS-02	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	WiFi; Energy Management System
	ecobee EMS Si	EB-EMSSI-01	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	WiFi; Energy Management System; NON-TOUCHSCREEN
	ecobee Smart	EB-STAT-02	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	WiFi
	ecobee Smart Si	EB-SMART-Si-01	4 H / 2 C	Hardwired	7	Auto	Both	Optional Module	Yes	3	WiFi; NON-TOUCHSCREEN
	Honeywell	TH9421C1004	4 H / 2 C	Hardwired	7	Auto	No	x2 In or 1 Out	Yes	5	Thermostat Only - No interface module; Use YTH9421 for kit
	Honeywell	TH8321U1097	4 H / 2 C	Hardwired	7	Auto	No	x2 In or 1 Out	Yes	5	
	Honeywell	YTH9421C1002	4 H / 2 C	Hardwired	7	Auto	Both	x2 In / 1 Out	Yes	5	Controls HVAC equip., hum., dehum., vent., UV light
	Honeywell	YTH9421C1010	4 H / 2 C	Hardwired	7	Auto	Both	x2 In / 1 Out	Yes	5	IAQ Stat, EIM, Outdoor Sensor
	Honeywell	YTHX9421R5085BB	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, includes EIM, 2 duct sensors, Black front/black sides
	Honeywell	YTHX9421R5085BB	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, black front/black sides
	Honeywell	YTHX9421R5085SG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, includes EIM, 2 duct sensors, Silver front/gray sides
	Honeywell	YTHX9421R5085SG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, silver front/gray sides
	Honeywell	YTHX9421R5085WG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, includes EIM, 2 duct sensors, White front/gray sides
	Honeywell	YTHX9421R5085WG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, + EIM, 2 duct sensors, white front/gray sides
	Honeywell	YTHX9421R5085WW	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	Redesigned Prestige 2-wire IAQ with RedLINK, includes EIM, 2 duct sensors, White front/white sides

**Jackson Systems**  
**Thermostat Matrix**  
**Heat Pump Programmable**

<b>Heat Pump Programmable</b>	Honeywell	YTHX9421R5085WW	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, white front/white sides
	Honeywell	YTHX9421R5101BB	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, black front/black sides
	Honeywell	YTHX9421R5101SG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, silver front/gray sides
	Honeywell	YTHX9421R5101WG	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/gray sides
	Honeywell	YTHX9421R5101WW	4 H / 2 C	Hardwired	7	Auto	Both	Up to 6 In / Out	Yes	5	<b>Redesigned Prestige 2-wire IAQ</b> with RedLINK, + EIM, 2 duct sensors, 1 wireless outdoor sensor, white front/white sides
	White-Rodgers	1F95EZ-0671	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	0 In / 0 Out	No	5	Large Display, Dual Fuel
	White-Rodgers	1F95-0671	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 1 Out	Yes	5	Universal Thermostat
	White-Rodgers	1F95-1291	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	Both	1 In / 1 Out	Yes	5	Dehumidification and Humidification Control
	White-Rodgers	1F95-0680	4 H / 2 C	Tri-Powered	7	Auto	No	1 In / 1 Out	Yes	5	OCC/UNOCC contacts, Locking Front Cover
	White-Rodgers	1F95-0680	4 H / 2 C	Hardwired <b>OR</b> Battery	7 or 5 +1+ 1	Auto	No	1 In / 1 Out	Yes	5	<b>Commercial</b>
	White-Rodgers	1F95-1280	4 H / 2 C	Hardwired <b>OR</b> Battery	7	Auto	No	1 In / 1 Out	Yes	5	Commercial Touchscreen
	White-Rodgers	1F98EZ-1621	4 H / 2 C	Hardwired	7	Auto	Both	Option up to 4	Yes	5	<b>Wireless</b> Comfort Interface, ECM and Return Air Sensor